

REPLAT No. 1 OF
WASHTENAW COUNTY CONDOMINIUM
SUBDIVISION PLAN No. 471

EXHIBIT B TO THE 2ND AMENDMENT TO THE MASTER DEED OF
TOUCHSTONE COHOUSING
SCIO TOWNSHIP, WASHTENAW COUNTY, MICHIGAN

DEVELOPER
HONEYCREEK COHOUSING DEVELOPMENT CO., L.L.C.
424 LITTLE LAKE DRIVE #42
ANN ARBOR, MICHIGAN 48103

SURVEYOR
WASHTENAW ENGINEERING COMPANY
3250 W. LIBERTY ROAD, P.O. BOX 1128
ANN ARBOR, MICHIGAN 48103

DESCRIPTIONS

TOUCHSTONE COHOUSING
Commencing at the Northwest corner of Section 26, T2S, R5E, Scio Township, Washtenaw County, Michigan; thence S05°20'06"W 2257.89 feet along the West line of said Section to the POINT OF BEGINNING; thence S86°33'21"E 623.41 feet to a point on the centerline of Little Lake Drive; thence S06°25'50"W 200.48 feet along said centerline; thence N83°27'25"W 167.35 feet; thence Southwesterly 62.82 feet along the arc of a 40.00 foot radius circular curve to the left, through a central angle of 89°58'58", having a chord that bears S51°33'06"W 56.56 feet; thence S06°33'37"W 61.97 feet; thence Southwesterly 92.01 feet along the arc of a 70.00 foot radius circular curve to the right, through a central angle of 75°18'35", having a chord that bears S44°12'54"W 85.53 feet; thence S04°36'01"W 78.12 feet to a point on the East and West 1/4 line of said Section; thence N85°23'59"W 357.11 feet along said East and West 1/4 line to the West 1/4 corner of said Section 26; thence N05°20'06"E 426.72 feet (recorded as 426.71) along the West line of said Section to the Point of Beginning. Being a part of the West 1/2 of the Northwest 1/4 of Section 26, T2S, R5E, Scio Township, Washtenaw County, Michigan and containing 4.89 acres of land, more or less. Being subject to the rights of the public over that portion of Little Lake Drive as occupied. Also being subject to all other lawful easements, restrictions and right-of-ways of record and all governmental limitations.

PROPOSED FUTURE DEVELOPMENT
Commencing at the Northwest corner of Section 26, T2S, R5E, Scio Township, Washtenaw County, Michigan; thence S05°20'06"W 2257.89 feet along the West line of said Section; thence S86°33'21"E 623.41 feet to a point on the centerline of Little Lake Drive; thence S06°25'50"W 200.48 feet along said centerline to the POINT OF BEGINNING; thence continuing along said centerline S06°25'50"W 239.00 feet to a point on the East and West 1/4 line of said Section; thence N85°23'59"W 257.61 feet along said East and West 1/4 line; thence N04°36'01"E 78.12 feet; thence Northeasterly 92.01 feet along the arc of a 70.00 foot radius circular curve to the left, through a central angle of 75°18'35", having a chord that bears N44°12'54"E 85.53 feet; thence N06°33'37"E 61.97 feet; thence Northeasterly 62.82 feet along the arc of a 40.00 foot radius circular curve to the right, through a central angle of 89°58'58", having a chord that bears N51°33'06"E 56.56 feet; thence S83°27'25"E 167.35 feet to the Point of Beginning. Being a part of the West 1/2 of the Northwest 1/4 of Section 26, T2S, R5E, Scio Township, Washtenaw County, Michigan and containing 1.26 acres of land, more or less. Being subject to the rights of the public over that portion of Little Lake Drive as occupied. Also being subject to all other lawful easements, restrictions and right-of-ways of record and all governmental limitations.

PRESERVATION AREA AND EXPANDABLE AREA
Commencing at the Northwest corner of Section 26, T2S, R5E, Scio Township, Washtenaw County, Michigan; thence S05°20'06"W 1617.32 feet along the West line of said Section to the POINT OF BEGINNING; thence S85°09'45"E 602.04 feet along the South line of "SUNWARD CO-HOUSING OF ANN ARBOR", Condominium Subdivision Plan 273, as recorded in Liber 3495, Page 495, Washtenaw County Records to a point on the Westerly right-of-way line of Little Lake Drive; thence N06°25'50"E 16.77 feet along said right-of-way line; thence S84°39'05"E 33.01 feet to a point on the centerline of Little Lake Drive; thence S06°25'50"W 249.79 feet along said centerline; thence N84°39'54"W 630.57 feet to a point on the West line of said Section; thence N05°20'06"E 227.76 feet along said West line to the Point of Beginning. Being a part of the West 1/2 of the Northwest 1/4 of Section 26, T2S, R5E, Scio Township, Washtenaw County, Michigan and containing 3.36 acres of land, more or less. Being subject to the rights of the public over that portion of Little Lake Drive as occupied. Also being subject to all other lawful easements, restrictions, and right-of-ways of record and all governmental limitations.

EASEMENT FOR INGRESS AND EGRESS
Commencing at the Northwest corner of Section 26, T2S, R5E, Scio Township, Washtenaw County, Michigan; thence S05°20'06"W 1617.32 feet along the West line of said Section; thence S85°09'45"E 602.04 feet along the South line of "SUNWARD CO-HOUSING OF ANN ARBOR", Condominium Subdivision Plan 273, as recorded in Liber 3495, Page 495, Washtenaw County Records to a point on the Westerly right-of-way line of Little Lake Drive; thence N06°25'50"E 16.77 feet along said right-of-way; thence S84°39'05"E 33.01 feet to a point on the centerline of Little Lake Drive; thence S06°25'50"W 642.11 feet along said centerline to the POINT OF BEGINNING; thence continuing S06°25'50"W 95.13 feet along said centerline; thence N86°33'21"W 165.85 feet; thence N06°25'50"E 95.13 feet; thence S86°33'21"E 165.85 feet to the Point of Beginning.

20 FOOT WIDE DRAINAGE EASEMENT
Commencing at the Northwest corner of Section 26, T2S, R5E, Scio Township, Washtenaw County, Michigan; thence S05°20'06"W 2257.89 feet along the West line of said Section; thence S86°33'21"E 623.41 feet to a point on the centerline of Little Lake Drive; thence S06°25'50"W 200.48 feet along said centerline; thence N83°27'25"W 99.96 feet to the POINT OF BEGINNING; thence S08°42'04"W 154.70 feet; thence N78°47'16"W 116.84 feet to the POINT OF TERMINATION.

SHEET INDEX

- *1. COVER SHEET
- *2. SURVEY PLAN
- *3. SITE PLAN
- *4. UTILITY PLAN
- *5. FLOOR PLANS AND SECTIONS: BUILDING A
- *6. FLOOR PLANS AND SECTIONS: BUILDINGS B & G
- *7. FLOOR PLANS AND SECTIONS: BUILDINGS C, D & E
- *8. FLOOR PLANS AND SECTIONS: BUILDING F
- *9. GARAGE FLOOR PLANS AND SECTIONS
COMMUNITY BUILDING FLOOR PLAN


THE ASTERISK (*) INDICATES A NEW OR AMENDED SHEET WHICH IS REVISED, DATED 4-23-2009. THE SHEETS WITH THIS AMENDMENT ARE TO SUPPLEMENT OR REPLACE THOSE SHEETS PREVIOUSLY RECORDED.

ROBERT J. WANTY PE, MICH. No. 28666

\\010009180\dwg\Report\103118-0250.dwg, Mode: 9/19/2011 4:25:22 PM, 1:50

CURVE DATA

CURVE	DELTA	RADIUS	ARC	CHORD	CHORD BRG.
1	89°58'58"	40.00	62.82	56.56	S51°33'06"W
2	75°18'35"	70.00	92.01	85.53	S44°12'54"W
3	188°43'20"	75.00	247.04	149.57	N08°57'42"E




SURVEYOR'S CERTIFICATE

I, THOMAS L. SUTHERLAND, PROFESSIONAL SURVEYOR OF THE STATE OF MICHIGAN, HEREBY CERTIFY: THAT THE SUBDIVISION PLAN KNOWN AS WASHTENAW COUNTY CONDOMINIUM SUBDIVISION PLAN No. 471, AS SHOWN ON THE ACCOMPANYING DRAWINGS, REPRESENTS A SURVEY ON THE GROUND MADE UNDER MY DIRECTION. THAT THERE ARE NO EXISTING ENCROACHMENTS UPON THE LANDS AND PROPERTY HEREIN DESCRIBED. THAT THE ACCURACY OF THIS SURVEY IS WITHIN THE LIMITS REQUIRED BY THE RULES PROMULGATED UNDER SECTION 142 OF ACT NUMBER 59 OF THE PUBLIC ACTS OF 1978. THAT THE BEARINGS AS SHOWN ARE NOTED ON THE SURVEY PLAN AS REQUIRED BY THE RULES PROMULGATED UNDER SECTION 142 OF ACT NUMBER 59 OF THE PUBLIC ACTS OF 1978.

DATE

THOMAS L. SUTHERLAND
PROFESSIONAL SURVEYOR
REGISTRATION NO. 24620
WASHTENAW ENGINEERING COMPANY
3250 WEST LIBERTY ROAD
ANN ARBOR, MICHIGAN 48103




CIVIL ENGINEERS
PLANNERS
SURVEYORS
P.O. BOX 1128 3250 W. LIBERTY RD.
ANN ARBOR, MI 48103 (734)-761-8800

SURVEY PLAN

TOUCHSTONE COHOUSING

FOR HONEYCREEK COHOUSING DEVEL. CO., L.L.C.

DESIGN	SUB	DWG. NO.	29188SUR
DRAWN	SUB	F.B.	NONE
CHECK	JIM	FILE NO.	29188
FILE NO.	PROJECT	JOB NO.	29188




LEGEND

- CONCRETE MONUMENT
- REGULATED WETLAND AREA
- EASEMENT AREA FOR GREAT OAK COHOUSING (SEE MASTER DEED)


NOTES

- BEARINGS ARE RELATED TO "PARKLAND PLAZA COMMERCIAL SUBDIVISION" AS RECORDED IN LIBER 23 OF PLATS, PAGE 62, W.C.R.
- TOUCHSTONE COHOUSING DOES NOT LIE WITHIN A 100 YEAR FLOOD PLAIN OF RECORD.
- PROPOSED 25 FT. WD. SANITARY SEWER ESMT. MUST BE EXTENDED TO THE SOUTH LINE OF PROPERTY IF CUL-DE-SAC AS RECORDED IN LIBER 4168, P. 521, W.C.R., IS ABANDONED.
- EASEMENT FOR INGRESS, EGRESS AND UTILITIES AS RECORDED IN LIBER 4008, P. 374, W.C.R. BLANKETS THE PUBLIC ROADWAY EASEMENT AS RECORDED IN LIBER 3396, P. 306 AND AMENDED IN LIBER 3456, P. 709, W.C.R.
- CONDOMINIUM PLAN REFERENCES "GREAT OAK COHOUSING" CONDOMINIUM AS RECORDED IN LIBER 4150, P. 447 AND AS AMENDED BY THE FIRST AMENDMENT TO THE MASTER DEED AS RECORDED IN LIBER 4288, P. 259, W.C.R.



PROPOSED, DATED 4-23-2009 SHEET 2

\\MS0202\Bldg\Project\120166\0202.dwg, Model, 8/18/2014 2:56:22 PM, 1/20




LEGEND

- GENERAL COMMON ELEMENT
EASEMENT AREA FOR GREAT OAK COHOUSING (SEE MASTER DEED)
LIMITED COMMON ELEMENT AREAS
- (A) BUILDING DESIGNATION
4U, 5L UNIT NUMBER (UPPER OR LOWER FLOOR)
A1 GARAGE (NOT UNIT ASSIGNMENT)
(10) COORDINATE POINT
F4 FRONT LIMITED COMMON ELEMENT AREA (UNIT No.)
R4 REAR LIMITED COMMON ELEMENT AREA (UNIT No.)
W WALK

UNITS 7 THROUGH 12 MUST BE BUILT
UNITS 1 THROUGH 6 AND 13 THROUGH 34 NEED NOT BE BUILT
GARAGES ARE CONVERTIBLE TO LIMITED COMMON ELEMENTS UPON ASSIGNMENT TO A UNIT


COORDINATE POINT NO.	NORTH COORDINATE	EAST COORDINATE
1	5424.86	5039.67
2	5387.41	5661.95
3	5188.20	5639.50
4	5207.27	5473.24
5	5172.10	5428.94
6	5110.52	5421.86
7	5049.22	5362.22
8	4971.35	5355.96
9	5000.00	5000.00
10	5324.96	5285.03
11	5329.22	5213.31
12	5272.30	5080.70
13	5193.96	5073.30
14	5142.19	5068.56
15	5085.99	5063.10
16	5013.22	5084.94
17	5008.77	5141.22
18	5137.50	5199.36
19	5193.72	5204.56
20	5184.45	5234.03
21	5174.56	5319.92
22	5186.06	5349.94
23	5107.93	5340.64
24	5361.31	5329.92
25	5368.52	5210.13
26	5414.44	5212.90
27	5407.23	5332.68



LIMITED COMMON ELEMENT AREAS

BLDG. No.	UNIT No.	UNIT STYLE	FRONT LIMITED LONG DEPTH	COMMON ELEMENT AREA SHORT DEPTH	WIDTH	REAR LIMITED LONG DEPTH	COMMON ELEMENT AREA SHORT DEPTH	WIDTH
A	1	I	12.00	11.00	28.23	17.02	14.00	28.23
	2	G	12.00	—	15.23	14.00	—	15.23
	3	G	12.00	—	15.23	14.00	—	15.23
	4	E	12.00	—	7.50	14.00	—	15.00
	5	E	12.00	—	7.50	10.00	—	30.00
	6	I	12.00	11.00	28.23	16.97	14.00	28.23
B	7	I	12.00	11.00	28.00	20.00	17.00	28.00
	8	F	12.00	—	13.11	20.00	—	13.11
	9	F	18.00	—	13.11	20.00	—	13.11
	10	F	18.00	—	13.11	20.00	—	13.11
	11	F	12.00	—	13.11	20.00	—	13.11
	12	I	12.00	11.00	28.00	20.00	17.00	28.00
C	13	I	12.00	11.00	28.11	20.00	17.00	28.11
	14	G	12.00	—	15.11	20.00	—	15.11
	15	G	12.00	—	15.11	20.00	—	15.11
	16	I	12.00	6.00	28.11	20.00	17.00	28.11
D	17	I	12.00	11.00	28.11	20.00	17.00	28.11
	18	G	12.00	—	15.11	20.00	—	15.11
	19	G	12.00	—	15.11	20.00	—	15.11
	20	I	12.00	11.00	28.11	20.00	17.00	28.11
E	21	I	12.00	11.00	28.11	20.00	17.00	28.11
	22	G	12.00	—	15.11	20.00	—	15.11
	23	G	12.00	—	15.11	20.00	—	15.11
	24	I	12.00	11.00	28.11	20.00	17.00	28.11
F	25	J	12.50	8.50	28.11	20.00	—	28.11
	26	G	8.50	—	15.11	20.00	—	15.11
	27	G	8.50	—	15.11	20.00	—	15.11
	28	J	12.50	8.50	28.11	20.00	—	28.11
G	29	I	12.00	11.00	28.11	20.00	17.00	23.47
	30	F	12.00	—	13.11	20.00	—	13.11
	31	F	12.00	—	13.11	20.00	—	13.11
	32	F	12.00	—	13.11	20.00	—	13.11
	33	F	12.00	—	13.11	20.00	—	13.11
	34	I	12.00	11.00	28.11	20.00	17.00	28.11

ROBERT J. WANTY PE, MICH. No. 28666



PROPOSED, DATED 4-23-2009 SHEET 3



SECTION 26 TOWN 2 SOUTH RANGE 5 EAST SCIO TOWNSHIP WASHTENAW COUNTY, MICHIGAN

SITE PLAN

TOUCHSTONE COHOUSING

DESIGN SJB DWG. NO. 29188-03
DRAW SJB F.B. NONE
CHECK RJW
FILE NO. PROJECT 29188

CIVIL ENGINEERS PLANNERS SURVEYORS
WASHTENAW ENGINEERING
P.O. BOX 1128 3250 W. LIBERTY RD.
ANN ARBOR, MI 48103 (734)-761-8800



- R — STORM SEWER
- S — SANITARY SEWER
- W — WATER
- G — GAS
- E — ELECTRIC
- T — TELEPHONE
- (circle with cross) — HYDRANT
- (circle) — MANHOLE
- (square) — CATCH BASIN
- ▲ METERS

UTILITIES NEEDED TO SERVICE UNITS 7 THROUGH 12 MUST BE BUILT

UTILITIES NEEDED TO SERVICE UNITS 1 THROUGH 6 AND 13 THROUGH 34 NEED NOT BE BUILT


EACH UNIT IS SERVED WITH SEWER AND WATER BY SCIO TOWNSHIP UTILITY DEPARTMENT

EACH UNIT IS SERVED WITH GAS BY MICHCON

EACH UNIT IS SERVED WITH ELECTRIC BY DTE ENERGY, WITH TELEPHONE BY AT&T AND WITH CABLEVISION BY COMCAST

UTILITY LOCATIONS SHOWN ARE FROM FIELD OBSERVATION AND SITE ENGINEERING PLANS BY WASHTENAW ENGINEERING CO.

ROBERT J. WANTY PE, MICH. No. 28666



PROPOSED, DATED 4-23-2009 SHEET 4

CIVIL ENGINEERS
PLANNERS
SURVEYORS

WASHTENAW
ENGINEERING

P.O. BOX 1128 3250 W. LIBERTY RD.
ANN ARBOR, MI 48103 (734)-761-8800





UTILITY PLAN

FOR HONEYCREEK COHOUSING DEVEL. CO., L.L.C.

SECTION 26 TOWN 2 SOUTH RANGE 5 EAST
SCIO TOWNSHIP
WASHTENAW COUNTY, MICHIGAN

DESIGN SUB	DWG. NO. 29188-04
DRAWN SUB	F.B. NONE
CHECK R/JW	
FILE NO. PROJECT	JOB NO. 29188

\\HER0201\proj\proj\Drawn\130188-04.dwg, Model: 01/10/2014 1:26:47 PM, 1/30



<i>BLDG.</i>	<i>UNIT NO.</i>	<i>FIRST FLR. ELEV.</i>
<i>A</i>	<i>1</i>	<i>918.00</i>
	<i>2</i>	<i>918.00</i>
	<i>3</i>	<i>918.00</i>
	<i>4</i>	<i>918.00</i>
	<i>5</i>	<i>918.00</i>
	<i>6</i>	<i>918.00</i>



LEGEND

 GENERAL COMMON ELEMENT
 CEILING RIDGE LINE
 LIMITS OF OWNERSHIP
 COORDINATE POINT

ALL ANGLES BETWEEN WALLS, FLOORS
AND CEILINGS ARE 90°, EXCEPT WHERE
OTHERWISE SHOWN

AREAS ARE CALCULATED FROM INTERIOR
DIMENSIONS.

UNITS 7 THROUGH 12 MUST BE BUILT
UNITS 1 THROUGH 6 AND 13 THROUGH 34
NEED NOT BE BUILT




ROBERT J. WANTY PE, MICH. No. 28666

SECTION <u>26</u> TOWN <u>2</u> SOUTH RANGE <u>5</u> EAST	
SCIO TOWNSHIP	
WASHTENAW COUNTY, MICHIGAN	
DESIGN SJB	
DRAWN SJB	DWG. NO. BLDG-A
CHECK RJW	F.B. NONE
FILE NO. PROJECT	JOB NO. 29188

FOR HONEYCREEK COHOUSING DEVEL. CO., L.L.C.

TOUCHSTONE COHOUSING




FLOOR PLANS AND SECTION
BUILDING A



CIVIL ENGINEERS
PLANNERS
SURVEYORS

P.O. BOX 1128 3250 W. LIBERTY RD.
ANN ARBOR, MI 48103 (734)-761-8800

PROPOSED, DATED 4-23-2009 SHEET 5






BLDG.	UNIT NO.	FIRST FLR. ELEV.
B	7	920.50
	8	920.50
	9	920.50
	10	920.50
	11	920.50
	12	920.50
	29	920.50
	30	920.50
	31	920.50
	32	920.50
G	33	920.50
	34	920.50

LEGEND	
	GENERAL COMMON ELEMENT
	CEILING RIDGE LINE
	LIMITS OF OWNERSHIP
	COORDINATE POINT

ALL ANGLES BETWEEN WALLS, FLOORS AND CEILINGS ARE 90°, EXCEPT WHERE OTHERWISE SHOWN DIMENSIONS.
AREAS ARE CALCULATED FROM INTERIOR DIMENSIONS.

UNITS 7 THROUGH 12 MUST BE BUILT
UNITS 1 THROUGH 6 AND 13 THROUGH 34 NEED NOT BE BUILT




SECTION 26 TOWN 2 SOUTH RANGE 5 EAST	
SCIO TOWNSHIP	
WASHTENAW COUNTY, MICHIGAN	
DESIGN SJB	DWG. NO. BLDG-B&G
DRAWN SJB	F.B. NONE
CHECK RJW	FILE NO. PROJECT
FILE NO. PROJECT	JOB NO. 29188

FOR HONEYCREEK COHOUSING DEVEL. CO., L.L.C.

TOUCHSTONE COHOUSING

FLOOR PLANS AND SECTION BUILDINGS B & G


PROPOSED, DATED 4-23-2009 SHEET 6



P.O. BOX 1128 3250 W. LIBERTY RD.
ANN ARBOR, MI 48103 (734)-761-8800


CIVIL ENGINEERS
PLANNERS
SURVEYORS

ROBERT J. WANTY PE, MICH. No. 28666




ATTIC SPACE PLAN

ALL EXTERIOR WALLS ARE .5 THICK





SECOND FLOOR PLAN

ALL EXTERIOR WALLS ARE .5 THICK



FIRST FLOOR PLAN

ALL EXTERIOR WALLS ARE .5 THICK



SECTION A-A

BLDG.	UNIT NO.	FIRST FLR. ELEV.
C	15	919.70
	16	919.70
	17	919.70
	18	919.70
	19	919.70
D	20	919.70
	21	919.70
	22	919.70
	23	920.50
	24	920.50
E	25	920.50
	26	920.50


LEGEND

- GENERAL COMMON ELEMENT
- CEILING RIDGE LINE
- LIMITS OF OWNERSHIP
- COORDINATE POINT

ALL ANGLES BETWEEN WALLS, FLOORS AND CEILINGS ARE 90°, EXCEPT WHERE OTHERWISE SHOWN

AREAS ARE CALCULATED FROM INTERIOR DIMENSIONS.

UNITS 7 THROUGH 12 MUST BE BUILT
UNITS 1 THROUGH 6 AND 13 THROUGH 34 NEED NOT BE BUILT



BASEMENT PLAN

ALL EXTERIOR WALLS ARE .9 THICK

ROBERT J. WANTY PE, MICH. No. 28666


SECTION 26 TOWN 2 SOUTH RANGE 5 EAST	
SCIO TOWNSHIP	
WASHTENAW COUNTY, MICHIGAN	
DESIGN SJB	DWG. NO. BLDG-C-D-E
DRAWN SJB	F.B. NONE
CHECK RJW	JOB NO. 29188
FILE NO. PROJECT	

FOR HONEYCREEK COHOUSING DEVEL. CO., L.L.C.

TOUCHSTONE COHOUSING


FLOOR PLANS AND SECTION
BUILDINGS C, D & E


PROPOSED, DATED 4-23-2009 SHEET 7



CIVIL ENGINEERS
PLANNERS
SURVEYORS

P.O. BOX 1128 3250 W. LIBERTY RD.
ANN ARBOR, MI 48103 (734)-761-8800



	GENERAL COMMON ELEMENT
	CEILING RIDGE LINE
	LIMITS OF OWNERSHIP
 	COORDINATE POINT


ALL ANGLES BETWEEN WALLS, FLOORS
AND CEILINGS ARE 90°, EXCEPT WHERE
OTHERWISE SHOWN

AREAS ARE CALCULATED FROM INTERIOR
DIMENSIONS.

UNITS 7 THROUGH 12 MUST BE BUILT
UNITS 1 THROUGH 6 AND 13 THROUGH 34
NEED NOT BE BUILT




PROPOSED, DATED 4-23-2009 SHEET 8



FOR HONEYCREEK COHOUSING DEVEL. CO., L.L.C.


TOUCHSTONE COHOUSING

FLOOR PLANS AND SECTION
BUILDINGS F




CIVIL ENGINEERS
PLANNERS
SURVEYORS


P.O. BOX 1128 3250 W. LIBERTY RD.
ANN ARBOR, MI 48103 (734)-761-8800



GARAGE A FLOOR PLAN



GARAGE B FLOOR PLAN



SECTION A-A


LEGEND

GENERAL COMMON ELEMENT
 LIMITED COMMON ELEMENT
 COORDINATE POINT

ALL ANGLES BETWEEN WALLS, FLOORS AND CEILINGS ARE 90°


AREAS ARE CALCULATED FROM INTERIOR DIMENSIONS

GARAGES ARE CONVERTIBLE TO LIMITED COMMON ELEMENT UPON ASSIGNMENT TO A UNIT PURSUANT TO ARTICLE VII OF THE MASTER DEED, AS AMENDED



COMMON HOUSE FLOOR PLAN

ROBERT J. WANTY PE, MICH. No. 28666



PROPOSED, DATED 4-23-2009 **SHEET 9**

**GARAGE FLOOR PLANS AND SECTION
COMMUNITY BUILDING FLOOR PLAN**

TOUCHSTONE COHOUSING

FOR HONEYCREEK COHOUSING DEVEL. CO., L.L.C.

SECTION 26	TOWN 2	SOUTH RANGE 5	EAST
DESIGN	WASHTENAW COUNTY, MICHIGAN		
DRAWN	SUB	DWG. No. 29188-09	
CHECK	NMS	F.B.	NONE
FILE NO.	PROJECT	JOB NO.	29188

WASHTENAW ENGINEERING

CIVIL ENGINEERS
PLANNERS
SURVEYORS

P.O. BOX 1128 3250 W. LIBERTY RD.
ANN ARBOR, MI 48103 (734)-761-8800